L Number	Hits	Search Text	DB	Time stamp
24	0	@ad<20000830 and (agent or proxy or server) with (send$3 or transfer$4 or transmit$4 or forward$3) same (illusory adj (message or content or signal)) and (response or request) and client and security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 17:25
25	0	@ad<20000830 and (agent or proxy or server) same (send$3 or transfer$4 or transmit$4 or forward$3) same (illusory adj (message or content or signal)) and (response or request) and client and security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 17:23
26	0	@ad<20000830 and (agent or proxy or server) same (send$3 or transfer$4 or transmit$4 or forward$3) same (illusory adj (message or content or signal)) and (response or request)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 17:23
27	0	@ad<20000830 and (agent or proxy or server) same (send$3 or transfer$4 or transmit$4 or forward$3) same (illusory adj (message or content or signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 17:24
28	0	@ad<20000830 and (agent or proxy or server) and (send$3 or transfer$4 or transmit$4 or forward$3) same (illusory adj (message or content or signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 17:24
29	0	@ad<20000830 and (send$3 or transfer$4 or transmit$4 or forward$3) same (illusory adj (message or content or signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 17:24
30	1	@ad<20000830 and (send$3 or transfer$4 or transmit$4 or forward$3) same (illusory near (message or content or signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 17:26
31	0	@ad<20000830 and (agent or proxy or server) with (send$3 or transfer$4 or transmit$4 or forward$3) and (illusory adj (message or content or signal)) and (response or request) and client and security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 17:25
32	0	@ad<20000830 and (illusory near (message or content or signal)) same prevent$3 same (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 17:25
33	0	@ad<20000830 and (send$3 or transfer$4 or transmit$4 or forward$3) same (illusory near (message or content or signal)) and prevent$3 same (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 17:27
34	2	@ad<20000830 and (send$3 or transfer$4 or transmit$4 or forward$3) same ((keep-alive or (keep adj alive) or illusory) near (message or content or signal)) and prevent$3 same (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 17:28
35	4	@ad<20000830 and (send$3 or transfer$4 or transmit$4 or forward$3) same ((keep-alive or (keep adj alive) or illusory) same (message or content or signal)) and prevent$3 same (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 17:28
36	1	@ad<20000830 and (send$3 or transfer$4 or transmit$4 or forward$3) same ((keep-alive or (keep adj alive) or illusory) same (message or content or signal)) and prevent$3 with (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 17:29

Updated Search

C:\APPS\east\workspaces\09650729_KeepAliveMessages.wsp

–		0	@ad<20000830 and message with illusory same (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 18:48
–		2	@ad<20000830 and message with illusory	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/26 10:21
–		9	@ad<20000830 and (message or content) with illusory	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/26 10:23
–		0	@ad<20000830 and (message or content) same illusory and (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/26 10:26
–		0	@ad<20000830 and (message or content) and illusory and (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/26 10:26
–		2	@ad<20000830 and illusory and (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/26 10:26
–		7	@ad<20000830 and illusory and agent and security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/26 10:27
–		0	@ad<20000830 and message with ((keep near$1 alive) or illusory) same (time-out or (time adj out)) same security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 18:49
–		4	@ad<20000830 and message with ((keep near$1 alive) or illusory) same (time-out or (time adj out)) and agent and security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 18:55
–		0	@ad<20000830 and ((keep near$1 alive) or illusory) adj (message or content) same (time-out or (time adj out)) same agent and security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 18:56
–		0	@ad<20000830 and ((keep near$1 alive) or illusory) adj (message or content) same (time-out or (time adj out)) same agent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 18:56
–		4	@ad<20000830 and ((keep near$1 alive) or illusory) adj (message or content) same (time-out or (time adj out)) and agent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 18:57
–		0	@ad<20000830 and ((keep near$1 alive) or illusory) adj (message or content or signal) same (prevent$3 or avoid$3) near (time-out or (time adj out)) and agent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 18:58
–		1	@ad<20000830 and ((keep near$1 alive) or illusory) adj (message or content or signal) same (prevent$3 or avoid$3) near (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 18:59
–		0	@ad<20000830 and (agent or proxy) with (send$3 or transfer$4 or transmit$4) with ((keep near$1 alive) or illusory) adj (message or content or signal) same (prevent$3 or avoid$3) near (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 19:00
–		0	@ad<20000830 and (agent or proxy or server) with (send$3 or transfer$4 or transmit$4) with ((keep near$1 alive) or illusory) adj (message or content or signal) same (prevent$3 or avoid$3) near (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 19:00

C:\APPS\east\workspaces\09650729_KeepAliveMessages.wsp

-	0	@ad<20000830 and (agent or proxy or server) same (send$3 or transfer$4 or transmit$4) same ((keep near$1 alive) or illusory) adj (message or content or signal) and (prevent$3 or avoid$3) near (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 19:00
-	13	@ad<20000830 and (agent or proxy or server) same (send$3 or transfer$4 or transmit$4) same ((keep near$1 alive) or illusory) adj (message or content or signal) and (prevent$3 or avoid$3) and (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 19:06
-	0	@ad<20000830 and (agent or proxy or server) same (send$3 or transfer$4 or transmit$4) same ((keep near$1 alive) or illusory) adj (message or content or signal) and (prevent$3 or avoid$3) same (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 19:02
-	12	@ad<20000830 and (agent or proxy or server) same (send$3 or transfer$4 or transmit$4) same ((keep near$1 alive) or illusory) adj (message or content or signal) and server and client and (prevent$3 or avoid$3) and (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 19:02
-	3	@ad<20000830 and (agent or proxy) same (send$3 or transfer$4 or transmit$4) same ((keep near$1 alive) or illusory) adj (message or content or signal) and (prevent$3 or avoid$3) and (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 19:08
-	3	@ad<20000830 and (agent or proxy) same (send$3 or transfer$4 or transmit$4) same ((keep near$1 alive) or illusory) adj (message or content or signal) and (time-out or (time adj out))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 19:08
-	11	@ad<20000830 and (agent or proxy) same (send$3 or transfer$4 or transmit$4) same ((keep near$1 alive) or illusory) adj (message or content or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/03 16:37
-	5	@ad<20000830 and (agent or proxy) same (send$3 or transfer$4 or transmit$4) same ((keep near$1 alive) or (heart near$1 beat) or illusory) adj (message or content or signal) and client same server	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/03 16:47
-	5	@ad<20000830 and (agent or proxy) same (send$3 or transfer$4 or transmit$4) same ((keep near$1 alive) or (heart near$1 beat) or illusory) adj (message or content or signal) and client and server	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/03 16:47
-	8	@ad<20000830 and (agent or proxy) same (send$3 or transfer$4 or transmit$4) same ((keep near$1 alive) or (heart near$1 beat) or illusory) adj (message or content or signal) and server	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/03 16:52
-	44	@ad<20000830 and (agent or proxy or server) same (send$3 or transfer$4 or transmit$4) with ((keep near$1 alive) or (heart near$1 beat) or illusory) adj (message or content or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/04 16:12
-	37	@ad<20000830 and (agent or proxy or server) with (send$3 or transfer$4 or transmit$4) with ((keep near$1 alive) or (heart near$1 beat) or illusory) adj (message or content or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/03 16:53
-	7	@ad<20000830 and (agent or proxy or server) near (send$3 or transfer$4 or transmit$4) with ((keep near$1 alive) or (heart near$1 beat) or illusory) adj (message or content or signal) and client	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/03 16:56

C:\APPS\east\workspaces\09650729_KeepAliveMessages.wsp

–	1	@ad<20000830 and (agent or proxy or server) near (send$3 or transfer$4 or transmit$4) with ((keep near$1 alive) or (heart near$1 beat) or illusory) adj (message or content or signal) same request	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/03 16:57
–	0	@ad<20000830 and (agent or proxy or server) near (send$3 or transfer$4 or transmit$4) near ((keep near$1 alive) or (heart near$1 beat) or illusory) adj (message or content or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/03 16:57
–	4	@ad<20000830 and (agent or proxy or server) with (send$3 or transfer$4 or transmit$4) near ((keep near$1 alive) or (heart near$1 beat) or illusory) adj (message or content or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/03 16:57
–	9	@ad<20000830 and (agent or proxy or server) with (send$3 or transfer$4 or transmit$4 or forward$3) same ((keep adj$1 alive) or (heart adj$1 beat) or keep-alive or heart-beat or illusory) adj (message or content or signal) and (response same (agent or proxy)) and security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/04 18:34
–	6	@ad<20000830 and (agent or proxy or server) with (send$3 or transfer$4 or transmit$4 or forward$3) same ((keep adj1 alive) or (heart adj1 beat) or keep-alive or heart-beat or illusory) adj (message or content or signal) and (response same (agent or proxy)) and security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/04 18:34
–	5	@ad<20000830 and (agent or proxy) with (send$3 or transfer$4 or transmit$4 or forward$3) same ((keep near1 alive) or (heart near1 beat) or keep-alive or heart-beat or illusory) adj (message or content or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/04 18:35
–	0	@ad<20000830 and (agent or proxy or server) with (send$3 or transfer$4 or transmit$4 or forward$3) same ((keep adj1 alive) or (heart adj1 beat) or keep-alive or heart-beat or illusory) adj (message or content or signal) same (response or request) same client same security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/04 18:35
–	1	@ad<20000830 and (agent or proxy or server) with (send$3 or transfer$4 or transmit$4 or forward$3) same ((keep adj1 alive) or (heart adj1 beat) or keep-alive or heart-beat or illusory) adj (message or content or signal) same (response or request) same client and security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/04 18:35
–	2	@ad<20000830 and (agent or proxy or server) with (send$3 or transfer$4 or transmit$4 or forward$3) same ((keep adj1 alive) or (heart adj1 beat) or keep-alive or heart-beat or illusory) adj (message or content or signal) same (response or request) and client and security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/04 18:36
–	12	@ad<20000830 and (agent or proxy or server) with (send$3 or transfer$4 or transmit$4 or forward$3) same ((keep adj1 alive) or (heart adj1 beat) or keep-alive or heart-beat or illusory) adj (message or content or signal) and (response or request) and client and security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 17:21

−		4	@ad<20000830 and (agent or proxy or server) with (send$3 or transfer$4 or transmit$4 or forward$3) same ((keep adj1 alive) or (heart adj1 beat) or keep-alive or heart-beat or illusory) adj (message or content or signal) and (response same (agent or proxy)) and client and security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/04 18:36
−		3	@ad<20000830 and (agent or proxy or server) with (send$3 or transfer$4 or transmit$4 or forward$3) same ((keep adj1 alive) or (heart adj1 beat) or keep-alive or heart-beat or illusory) adj (message or content or signal) same client and (response same (agent or proxy)) and security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/04 18:36